Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"20010049682".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 12:34
L2	2	1 and code adj object	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 12:35
L3	2	2 and recursive$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 12:42
L4	5328	code adj object	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 12:35
L5	23	4 and debug$9 near8 code adj object	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 12:45
L6	119	4 and recursive$3 with (query or procedure or pars$7)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 12:44
L7	234	4 and recursive$3 with (query or procedure or pars$7 or call$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 12:44
L8	202	4 and recursive$3 near3 (query or procedure or pars$7 or call$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 12:52
L9	23	8 and debug$9 near8 ((code adj object) or (source adj code))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 12:53

L10	44	(dependency adj analysis) near3 (program or software or application or procedure or module)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 12:52
L11	8	10 and recursive$3 near3 (query or procedure or pars$7 or call$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 12:54
L12	7	11 and debug$9 near8 ((code adj object) or (source adj code))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 12:54
L13	7	10 and debug$9 near8 ((code adj object) or (source adj code))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 12:55
L14	19	10 and recursive$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 12:54
L15	14	14 and debug$9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 12:58
L16	15	14 and array	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 12:57
L17	25	10 and array	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 12:57
L18	17	10 and debug$9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 12:59

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	24	("6721941" or "6314558" or "5926819" or "5850554" or "5848274" or "5826077" or "5815714" or "5764989" or "5630049" or "5371747" or "5325531").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 13:33
L2	15	1 and debug$8 and (code or source)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 13:34
L3	10	2 and (code adj object) and (source adj code)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 13:35
L4	5	3 and recursive$3 with (call$3 or procedure or function or query$6 or pars$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 13:37
L5	1	4 and recursive$3 and (call$3 and procedure and function and query$6 and pars$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 13:36
L6	5	1 and recursive$3 with (call$3 or procedure or function or query$6 or pars$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 13:53
L7	0	6 and depedency	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 13:39
L8	3	6 and dependency	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 13:54
L9	5	1 and dependency and recurs$8 and pars$8 and debug$9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 13:41

L10	2	9 and code adj objects!	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 13:41
L11	4	1 and code adj objects!	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 13:46
L12	2	1 and code adj objects! near9 (database or (data adj base))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 13:42
L13	2	1 and (code adj objects!) near9 (database or (data adj base))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 13:42
L14	2	13 and debug$9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 13:48
L15	2	14 and source adj (file or code)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 13:55
L16	2	15 and array	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 13:44
L17	3	1 and trigger	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 13:54
L18	1150	(source adj (file or code)) with (delete or update or insert)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 13:47
L19	23	18 and code adj objects!	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 13:48

L20	86	(source adj (file or code)) same ((delete or update or insert) adj2 (statement or clause or command))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 13:47
L21	1	20 and code adj objects!	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 13:48
L22	1	21 and debug$9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 13:48
L23	38	20 and debug$9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 13:53
L24	18	23 and pars$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 13:53
L25	1	24 and recursive$3 with (call$3 or procedure or function or query$6 or pars$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 13:53
L26	4	24 and recursive$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 13:53
L27	3	24 and trigger	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 13:54
L28	7	24 and dependency	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 13:54
L29	18	24 and source adj (file or code)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 13:55